


# foamfast

## SPECIALISING IN PREMIUM WALLING & FENCING SYSTEMS

SUPERIOR STRENGTH & DURABILITY



# FOAMFAST PANELS OFFER A QUALITY FINISH AND STRONG FLEXIBLE WAY TO DEFINE A SPACE.

Foamfast manufactures and distributes a large range of insulated fencing and walling products that make the perfect fit in both the commercial and domestic marketplace.

Foamfast panel is easily handled and installed and is perfect for the owner / builder or professionals alike. Our Foamfast light weight fencing solution can be built as quietly and easily as a colour bond fence. Standard panel size is 2500mm x 1200mm, standard thickness of 40mm x 75mm, 100mm and 150mm.

## KEY BENEFITS

- 10 year warranty and South Australian made
- Easy to use - Speed of application
- Reduction in on-site cost
- Lightweight - Ease of application
- Strong - Minimal risk of cracking
- Meets and exceeds all building requirements
- Cost Effective


Cost Effective insulation	Yes
Labor Requirements to install	Likely to completed with less labor hours
Time to install	Fast/can be done & remarkable speed
Special sizes and shapes made to order	Most requirements can be achieved
Meets all building regulations	Yes
Various thicknesses available	Yes



## WHILST BEING DECORATIVE WE PRODUCE THE ULTIMATE FRONT FENCE, SCREEN WALL AND FEATURE WALL.

### MECHANICS

The post systems holds the panels in rigid positions whilst allowing room for expansion which ensures the panels will never crack.



### REGULATIONS

All foamfast panels are fully engineered, meet safety requirements and are of the highest quality.

If we look at Masonry Walls for example, they would traditionally require large reinforced concrete strip/ footings. Foamfast Masonry Walls, in most cases you will avoid council approval, avoid footings and disruption to the area, and erect at a fraction of the time and price.



## REGULATION TABLE FOR 2100 HIGH FENCES

FENCE HEIGHT	POST SPACING	CIRCULAR Soil Type
2100	2400	350 x 750 (d)

C= soil type - stiff clay

Foamfast can assist you to ensure that you meet all building regulations.

YOUR AUTHENTIC STRUCTURE,  
DESIGNED TO MEET YOUR  
REQUIREMENTS WILL BE  
FINISHED ON-SITE TO PROVIDE  
THE MOST REALISTIC FINISH.

# foamfast

3 Philips Crescent, Hendon, South Australia 5014

Ph. (08) 8244 2763 F (08) 8244 2769

info@foamfast.com.au

www.foamfast.com.au

